UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/597,506	10/05/2007	Masakazu Komatsu	0666.2940000	2138
	7590 05/06/200 SLER, GOLDSTEIN &	EXAMINER		
1100 NEW YORK AVENUE, N.W.			KNUTSON, JACOB D	
WASHINGTON, DC 20005			ART UNIT	PAPER NUMBER
			3611	
			MAIL DATE	DELIVERY MODE
			05/06/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/597,506	KOMATSU ET AL.			
Office Action Summary	Examiner	Art Unit			
	JACOB KNUTSON	3611			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w.  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 22 Ag	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
4) Claim(s) 1-30 is/are pending in the application. 4a) Of the above claim(s) 1-12 is/are withdrawn 5) Claim(s) is/are allowed. 6) Claim(s) 13-30 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or Application Papers 9) The specification is objected to by the Examine	r from consideration.				
10) ☐ The specification is objected to by the Examiner 10) ☐ The drawing(s) filed on 27 July 2006 is/are: a) ☐ Applicant may not request that any objection to the conference of the conference	☑ accepted or b)☐ objected to be drawing(s) be held in abeyance. See on is required if the drawing(s) is obj	e 37 CFR 1.85(a). sected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>					
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date 7/27/06, 7/31/08.	4)  Interview Summary Paper No(s)/Mail Da 5)  Notice of Informal P 6)  Other:	nte			

Art Unit: 3611

## **DETAILED ACTION**

## Claim Rejections - 35 USC § 112

- The following is a quotation of the second paragraph of 35 U.S.C. 112:
   The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 2. Claims 13 and 22 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The claims recite "A tractor wherein ...", the inclusion of the word "comprising" would describe a tractor and include all the elements "a transmission ..." with the tractor. As it is stated now, it is describing a tractor and the later elements that are not associated with the tractor. This is unclear. Also, the claims recite "A tractor wherein a transmission casing is arranged in a rear portion of a vehicle body". The "A tractor" is limiting the scope of the claims to a tractor while "a vehicle body" is trying to broaden the scope of the claim to a vehicle. This is unclear.
- 3. Claims 17, 18, 26 and 27 recites the limitation "the main transmission" in line 4 of all the claims. There is insufficient antecedent basis for this limitation in the claim.
- 4. Claims 17, 18, 26 and 27 recites the limitation "the sub transmission" in line 5 of all the claims. There is insufficient antecedent basis for this limitation in the claim.
- 5. Claims 17, 18, 26 and 27 recites the limitation "the turning hydrostatic transmission" in lines 4 and 9 of all the claims. There is insufficient antecedent basis for this limitation in the claim.

Art Unit: 3611

## Claim Rejections - 35 USC § 102

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on

sale in this country, more than one year prior to the date of application for patent in the United States.

Claims <u>13 - 21 are</u> rejected under 35 U.S.C. 102(<u>b</u>) as being <u>anticipated</u> by <u>Shiba et al.</u>
 (US 6,758,301 B2).

For claim 13, Shiba et al. discloses a tractor wherein a transmission casing 12 is arranged in a rear portion of a vehicle body, a front axle casing 2 is arranged in the front portion of the vehicle body, and power from an engine 10 is transmitted from an output shaft 34 (auxiliary speed change shaft) supported by the transmission casing through a power transmission shaft 38 (intermediate shaft) to an input shaft 24 (traveling transmission shaft) supported by the front axle casing, characterized in that a gear casing 152 is disposed between the transmission casing and the front axle casing as shown in Fig. 9 and described in page 8, paragraph [0121], lines 6 - 9, the gear casing is detachably attached to a clutch 27 housing (the clutch is housed as shown in Fig. 8) disposed before the transmission casing, the output shaft of the transmission casing and an input shaft 148 (first transmission shaft) of the gear casing are arranged on a same line and connected to each other, indirectly, as shown in Fig. 20, and the input shaft of the front axle casing and an output shaft 150 (second transmission shaft) of the gear casing are arranged on a same line and connected to each other as shown in Fig. 20.

Application/Control Number: 10/597,506

Art Unit: 3611

differential.

For claim 14, Shiba et al. discloses a tractor as set forth in claim 13, wherein a differential mechanism of traveling vehicle disposed in the front portion of the tractor comprises: a differential 25 (forced differential mechanism) connecting left and right output shafts 3 (right and left axles), supported by the front axle casing, through a pair of planetary gear mechanisms 39; a turning hydrostatic transmission 45 (hydraulic steering motor) giving difference of rotation speed on the output shafts through the planetary gear mechanisms so as to perform turning of the vehicle; and a mechanical turning transmission 44 (hydraulic steering pump) changing power from the turning hydrostatic transmission in speed and then transmitting the power to the

Page 4

For claim 15, Shiba et al. discloses a tractor as set forth in claim 14, wherein the mechanical turning transmission is a hydraulic-clutch type turning transmission.

For claim 16, Shiba et al. discloses a tractor as set forth in claim 15, wherein the tuming transmission is interlockingly connected to a sub transmission () disposed in the transmission casing.

For claim 17, Shiba et al. discloses a tractor as set forth in claim 13, wherein power from the engine mounted on the traveling vehicle of the tractor is transmitted to a hydraulic clutch type forward/rearward traveling switching device 44 (hydraulic steering pump) and the main transmission, subsequently the power is transmitted to the sub transmission and changed in speed, and then traveling drive is performed, the turning hydrostatic transmission is actuated so as to control turning of the vehicle, and pressure oil is returned from the turning hydrostatic transmission through an oil cooler 179 to the transmission casing.

Art Unit: 3611

For claim 18, Shiba et al. discloses a tractor as set forth in claim 13, wherein power from the engine mounted on the traveling vehicle of the tractor is transmitted to a hydraulic clutch type forward/rearward traveling switching device 44 (hydraulic steering pump) and the main transmission, subsequently the power is transmitted to the sub transmission and changed in speed, and then traveling drive is performed, the turning hydrostatic transmission is actuated so as to control turning of the vehicle, and pressure oil returning from the turning hydrostatic transmission is supplied through an oil cooler 179 to frictional boards of the hydraulic clutch of the forward/rearward traveling switching device.

For claim 19, Shiba et al. discloses a tractor as set forth in claim 13, wherein a crawler traveling unit (as shown in Fig. 1) is provided in the tractor, the crawler traveling unit is constructed so that a track roller 6 (tension rollers) is provided between a drive sprocket(s) 4 and an idler(s) 8 and a crawler belt(s) 9 is wound around the drive sprocket, the idler and the track roller, a shaft 1 (crawler frames) rotatably supporting the track roller is divided into plural parts, and the divided shafts are connected to each other through an elastic member as shown in Fig. 1.

For claim 20, Shiba et al. discloses a tractor as set forth in claim 19, wherein ends of the divided shafts are shaped so as to engage with each other.

For claim 21, Shiba et al. discloses a tractor as set forth in claim 20, wherein the ends of the divided shafts are shaped so as to mesh with each other.

## Claim Rejections - 35 USC § 103

8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 3611

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

9. Claims <u>22 - 30 are</u> rejected under 35 U.S.C. 103(<u>a</u>) as being unpatentable over <u>Shiba et al. (US 6,758,301 B2)</u> in view of <u>Nakatani et al. (US 7,089,824 B2).</u>

For claim 22, Shiba et al. discloses a tractor wherein a transmission casing 12 is arranged in a rear portion of a vehicle body, a front axle casing 2 is arranged in the front portion of the vehicle body, and power from an engine 10 is transmitted from an output shaft 34 (auxiliary speed change shaft) supported by the transmission casing through a power transmission shaft 38 (intermediate shaft) to an input shaft 24 (traveling transmission shaft) supported by the front axle casing, characterized in that a gear casing 152 is disposed between the transmission casing and the front axle casing as shown in Fig. 9 and described in page 8, paragraph [0121], lines 6-9, the output shaft of the transmission casing and an input shaft 148 of the gear casing are arranged on a same line and connected to each other, indirectly, as shown in Fig. 20, and the input shaft of the front axle casing and an output shaft 150 (second transmission shaft) of the gear casing are arranged on a same line and connected to each other as shown in Fig. 20. Shiba et al. does not disclose the gear casing being constructed integrally with a flywheel casing disposed behind an engine. Nakatani et al. does disclose a gear casing (traveling transmission housing with a gear transmission mechanism housed within) being constructed integrally with a flywheel casing disposed behind an engine as stated in column 1, lines 17 - 26.

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to alternatively use connection and orientation of Nakatani et al. with the mechanism of Application/Control Number: 10/597,506

Art Unit: 3611

Shiba et al. modified as above to allow for a more compact assembly reducing the size of the apparatus increasing it efficiency.

Page 7

For claim 23, Shiba et al. modified as above discloses a tractor as set forth in claim 22, wherein a differential mechanism of traveling vehicle disposed in the front portion of the tractor comprises: a differential 25 (forced differential mechanism) connecting left and fight output shafts 3 (right and left axles), supported by the front axle casing, through a pair of planetary gear mechanisms 39; a turning hydrostatic transmission 45 (hydraulic steering motor) giving difference of rotation speed on the output shafts through the planetary gear mechanisms so as to perform turning of the vehicle; and a mechanical turning transmission 44 (hydraulic steering pump) changing power from the turning hydrostatic transmission in speed and then transmitting the power to the differential.

For claim **24**, Shiba et al. modified as above discloses a tractor as set forth in claim 23, wherein the mechanical turning transmission is a hydraulic-clutch type turning transmission.

For claim 25, Shiba et al. modified as above discloses a tractor as set forth in claim 23, wherein the tuming transmission is interlockingly connected to a sub transmission disposed in the transmission casing.

For claim 26, Shiba et al. modified as above discloses a tractor as set forth in claim 22, wherein power from the engine mounted on the traveling vehicle of the tractor is transmitted to a hydraulic clutch type forward/rearward traveling switching device 44 (hydraulic steering pump) and the main transmission, subsequently the power is transmitted to the sub transmission and changed in speed, and then traveling drive is performed, the turning hydrostatic transmission is

Application/Control Number: 10/597,506

Art Unit: 3611

actuated so as to control turning of the vehicle, and pressure oil is returned from the turning hydrostatic transmission through an oil cooler 179 to the transmission casing.

Page 8

For claim 27, Shiba et al. modified as above discloses a tractor as set forth in claim 22, wherein power from the engine mounted on the traveling vehicle of the tractor is transmitted to a hydraulic clutch type forward/rearward traveling switching device 44 (hydraulic steering pump) and the main transmission, subsequently the power is transmitted to the sub transmission and changed in speed, and then traveling drive is performed, the turning hydrostatic transmission is actuated so as to control turning of the vehicle, and pressure oil returning from the turning hydrostatic transmission is supplied through an oil cooler 179 to frictional boards of the hydraulic clutch of the forward/rearward traveling switching device.

For claim 28, Shiba et al. modified as above discloses a tractor as set forth in one of claims 22, wherein a crawler traveling unit is provided in the tractor, the crawler traveling unit (as shown in Fig. 1) is constructed so that a trank roller 6 (tension rollers) is provided between a drive sprocket(s) 4 and an idler(s) 8 and a crawler belt(s) 9 is wound around the drive sprocket, the idler and the trank roller, a shaft 1 (crawler frames) rotatably supporting the trank roller is divided into plural parts, and the divided shafts are connected to each other through an elastic member as shown in Fig. 1.

For claim **29**, Shiba et al. modified as above discloses a tractor as set forth in claim 28, wherein ends of the divided shafts are shaped so as to engage with each other.

For claim 30, Shiba et al. modified as above discloses a tractor as set forth in claim 29, wherein the ends of the divided shafts are shaped so as to mesh with each other.

Art Unit: 3611

Conclusion

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Jacob Knutson whose telephone number is (571) 270-5576. The

examiner can normally be reached on Monday to Thursday, 6:00 AM - 4:30 PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Lesley Morris can be reached on 571-272-6651. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/J.D.K/

April 29, 2009

/Lesley D. Morris/

Supervisory Patent Examiner, Art Unit 3611